

## Literatuurlijst van relevante artikelen

Keijser JN, van Heuvelen MJG, Nyakas C, Tóth K, Schoemaker RG, Zeinstra E, van der Zee AE. Whole body vibration improves attention and motor performance in mice depending on the duration of the whole body vibration session. 2017 Accepted for publication

van Alphen HJ, Hortobágyi T, van Heuvelen MJ. Barriers, motivators, and facilitators of physical activity in dementia patients: A systematic review. Arch Gerontol Geriatr. 2016 Sep-Oct;66:109- 18. doi: 10.1016/j.archger.2016.05.008.

Bossers WJ, van der Woude LH, Boersma F, Hortobágyi T, Scherder EJ, van Heuvelen MJ. Comparative Effectiveness of Two Exercise Programs on Activities of Daily Living in Patients with Dementia: A Nine-week Randomized, Controlled Trial. J Am Geriatr Soc. 2016 Jun;64(6):1258-66. doi: 10.1111/jgs.14160.

van Alphen HJ, Volkens KM, Blankevoort CG, Scherder EJ, Hortobágyi T, van Heuvelen MJ. Older Adults with Dementia Are Sedentary for Most of the Day. PLoS One. 2016 Mar 31;11(3):e0152457. doi: 10.1371/journal.pone.0152457.

Kok JS, van Heuvelen MJ, Berg IJ, Scherder EJ. Small scale homelike special care units and traditional special care units: effects on cognition in dementia; a longitudinal controlled intervention study. BMC Geriatr. 2016 Feb 16;16(1):47. doi: 10.1186/s12877-016-0222-5.

den Heijer AE, Groen Y, Fuermaier AB, van Heuvelen MJ, van der Zee EA, Tucha L, Tucha O. Acute Effects of Whole Body Vibration on Inhibition in Healthy Children. PLoS One. 2015 Nov 2;10(11):e0140665. doi: 10.1371/journal.pone.0140665.

Bossers WJ, van der Woude LH, Boersma F, Hortobágyi T, Scherder EJ, van Heuvelen MJ. A 9-Week Aerobic and Strength Training Program Improves Cognitive and Motor Function in Patients with Dementia: A Randomized, Controlled Trial. Am J Geriatr Psychiatry. 2015 Nov;23(11):1106-16. doi: 10.1016/j.jagp.2014.12.191. Epub 2015 Jan 3.

Fuermaier AB, Tucha L, Koerts J, van den Bos M, Regterschot GR, Zeinstra EB, van Heuvelen MJ, van der Zee EA, Lange KW, Tucha O. Whole-body vibration improves cognitive functions of an adult with ADHD. Atten Defic Hyperact Disord. 2014 Sep;6(3):211-20. doi: 10.1007/s12402-014-0149-7.

Regterschot GR, Van Heuvelen MJ, Zeinstra EB, Fuermaier AB, Tucha L, Koerts J, Tucha O, Van Der Zee EA. Whole body vibration improves cognition in healthy young adults. PLoS One. 2014 Jun 20;9(6):e100506. doi: 10.1371/journal.pone.0100506.

Bossers WJ, Scherder EJ, Boersma F, Hortobágyi T, van der Woude LH, van Heuvelen MJ. Feasibility of a combined aerobic and strength training program and its effects on cognitive and physical function in institutionalized dementia patients. A pilot study', Plos One 2014, PLoS One. 2014 May 20;9(5):e97577. doi: 10.1371/journal.pone.0097577.

Fuermaier AB, Tucha L, Koerts J, van Heuvelen MJ, van der Zee EA, Lange KW, Tucha O. Good vibrations--effects of whole body vibration on attention in healthy individuals and individuals with ADHD. PLoS One. 2014 Feb 28;9(2):e90747. doi: 10.1371/journal.pone.0090747.

Blankevoort CG, Scherder EJ, Wieling MB, Hortobágyi T, Brouwer WH, Geuze RH, van Heuvelen MJ. Physical predictors of cognitive performance in healthy older adults: a cross-sectional analysis. PLoS One. 2013 Jul 30;8(7):e70799. doi: .1371/journal.pone.0070799.

Bossers WJ, van der Woude LH, Boersma F, Scherder EJ, van Heuvelen MJ. Recommended measures for the assessment of cognitive and physical performance in older patients with dementia: a systematic review. Dement Geriatr Cogn Dis Extra. 2012 Jan;2(1):589-609. doi: 10.1159/000345038. Epub 2012 Dec 8.